



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/8176 (P592470)

Dated : 22/05/2024

To,

M/s. Metrix Instrument Co LP,
8824 Fallbrook Houston TEXAS 77064 USA,Houston
77064 vivek.joshi@metrixvibration.com
U.S.A

Sub : Approval of Increased Safety Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. OIN1667761 dated 06/05/2024 on the subject.

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2017, IEC 60079-7 : 2017, standards and covered under SGS UK Limited Test reports mentioned below is/are approved for use in Zone 2 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Model 5485C Velocity Transducer	Ex ec IIC T* Gc	P592470/1	SGS UK Limited	IECEx BAS 15.0095X issue No.1	22/03/2024	As per test report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the SGS UK Limited Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the SGS UK Limited applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the SGS UK Limited Test report and is identical with the one tested and certified at SGS UK Limited shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by SGS UK Limited in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative PUSHKARAJ ENTERPRISES, PLOT NO.3, PUSHKARAJ HOUSE, KULASHREE COLONY NO.3 Karve Nagar, Pune. Pune. MH 411052

This approval also covers the permissible variations as approved under the SGS UK Limited test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.
The Approval is Valid upto 31/12/2028

Yours faithfully,

(Nishanta Mridul)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
2. PUSHKARAJ ENTERPRISES.PLOT NO.3, PUSHKARAJ HOUSE, KULASHREE COLONY NO.3 Karve Nagar, Pune, Pune, MH 411052

for Chief Controller of Explosives
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.

METRIX DOC NO: 1974047
REV: A

Digitally signed by NISHANTA MRIDUL
Reason: Approval No. : A/P/HQ/MH/104/8176
Location:Nagpur [P592470]
Date:22-05-2024 11:22:56 AM