

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

## Product

Signal conditioner

## Name and address of the applicant

Metrix Instruments Co. LP  
8824 Fallbrook Dr., Houston, TX 77064-4855  
United States of America

## Name and address of the manufacturer

Metrix Instruments Co. LP  
8824 Fallbrook Dr., Houston, TX 77064-4855  
United States of America

## Name and address of the factory

Metrix Instruments Co. LP  
8824 Fallbrook Dr., Houston, TX 77064-4855  
United States of America

Note: When more than one factory, please report on page 2

Additional information on page 2

## Ratings and principal characteristics

5580, SW5580 supply: 24VDC, 4W  
SW5580 relays contacts:  
- 120 VAC or 24 VDC, 100 mA or  
- 240/120 VAC, 5A resistive load or 24 VDC, 5A resistive load

## Trademark / Brand (if any)



Metrix

## Customer's Testing Facility (CTF) Stage used

## Model / Type Ref.

5580, SW5580

Additional information (if necessary may also be reported on page 2)

Additional information on page 2

A sample of the product was tested and found to be in conformity with

IEC 61010-1:2010, IEC 61010-1:2010/AMD1:2016

National differences:

CA, CH, JP, US

As shown in the Test Report Ref. No. which forms part of this Certificate

US-2634-MET EN 129186 M0A0

This CB Test Certificate is issued by the National Certification Body

Eurofins Electrical and Electronic Testing NA, Inc.  
914 W Patapsco Avenue  
Baltimore, MD 21230  
United States of America



E&amp;E

METRIX DOC NO: 1904422  
REV: C

Date: 2024-07-16

Signature: Hon Keung Ip



**The following pages are the prior revisions of this certificate.**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME


## CB TEST CERTIFICATE

Product	Signal conditioner
Name and address of the applicant	Metrix Instruments Co. LP 8824 Fallbrook Dr. Houston, TX 77064-4855 United States of America
Name and address of the manufacturer	Metrix Instruments Co. LP 8824 Fallbrook Dr. Houston, TX 77064-4855 United States of America
Name and address of the factory	<input type="checkbox"/> Additional information on page 2 Metrix Instruments Co. LP 8824 Fallbrook Dr. Houston, TX 77064-4855 United States of America
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	5580, SW5580 supply: 24VDC, 4W SW5580 relays contacts: - 120 VAC or 24 VDC, 100 mA or - 240/120 VAC, 5A resistive load or 24 VDC, 5A resistive load
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	5580, SW5580
Additional information (if necessary may also be reported on page 2)	<input type="checkbox"/> Additional information on page 2 M1: Updated product descriptions. Original certificate issued 11/6/2020.
A sample of the product was tested and found to be in conformity with	IEC 61010-1:2010/AMD1:2016 National differences: CA, CH, JP, US
As shown in the Test Report Ref. No. which forms part of this Certificate	104377470DAL-004

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services NA, Inc.  
545 E. Algonquin Road, Suite F, Arlington Heights, IL 60005, United States of AmericaMETRIX DOC NO: 1904422  
REV: B

Date: 2021-08-20

Signature: John Quigley 

page 1 of 1



**The following pages are the prior revisions of this certificate.**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product	Signal conditioner
Name and address of the applicant	Metrix Instruments Co. LP 8824 Fallbrook Dr. Houston, TX 77064-4855 United States of America
Name and address of the manufacturer	Metrix Instruments Co. LP 8824 Fallbrook Dr. Houston, TX 77064-4855 United States of America
Name and address of the factory	<input type="checkbox"/> Additional information on page 2 Metrix Instruments Co. LP 8824 Fallbrook Dr. Houston, TX 77064-4855 United States of America
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	5580, SW5580 supply: 24VDC, 4W SW5580 relays contacts: - 120 VAC or 24 VDC, 100 mA or - 240/120 VAC, 5A resistive load or 24 VDC, 5A resistive load
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	5580, SW5580
Additional information (if necessary may also be reported on page 2)	<input type="checkbox"/> Additional information on page 2
A sample of the product was tested and found to be in conformity with	IEC 61010-1:2010/AMD1:2016 National differences: CA, CH, JP, US
As shown in the Test Report Ref. No. which forms part of this Certificate	104377470DAL-004

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services NA, Inc.  
545 E. Algonquin Road, Suite F, Arlington Heights, IL 60005, United States of AmericaMETRIX DOC NO: 1904422  
REV: A

Date: 2020-11-06

Signature: John Quigley

page 1 of 1